



Jazzland Wholesale

Sample ID: G2K0156-01

Test ID: 5028259

Source ID:

Date Sampled: 11/09/22

Date Accepted: 11/09/22

Results at a Glance

Total THC : <LOQ (0.0133%) %

Total CBD : <LOQ (0.0133%) %

Total CBG : 8.248 %

Pesticides : PASS

Residual Solvent Analysis : PASS

Lead : 0.668 ug/g PASS

Arsenic : 0.222 ug/g PASS



ISO 17025
ACCREDITED
LABORATORY

Eric Wendt
Chief Science Officer - 11/18/2022



Jazzland Wholesale

Sample ID: G2K0156-01

Test ID: 5028259

Source ID:

Date Sampled: 11/09/22

Date Accepted: 11/09/22


Potency Analysis

Date/Time Extracted: 11/11/22 12:07

Analysis Method/SOP: 215

Batch Identification: 2246051

Cannabinoids	LOQ (%)	mg/g	Cannabinoids Profile	
Total THC	0.0133	< LOQ		
Total CBD	0.0133	< LOQ		
Total CBG	0.3669	82.48		
THCA	0.0133	< LOQ		
delta 9-THC	0.0133	< LOQ		
delta 8-THC	0.5088	8.974	0.9	
THCV	0.3970	< LOQ		
THCVA	0.5942	< LOQ		
CBD	0.0133	< LOQ		
CBDA	0.0133	< LOQ		
CBDV	0.4086	< LOQ		
CBDVA	0.5611	< LOQ		
CBN	0.3669	< LOQ		
CBG	0.4267	8.743		
CBGA	0.5657	83.98		8.4
CBC	0.5354	28.45		2.8



Total THC = delta 9-THC + (THCA * 0.877)

Total CBD = CBD + (CBDA * 0.877)

Total CBG = CBG + (CBGA * 0.878)

LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.



ISO 17025
ACCREDITED
LABORATORY

Eric Wendt
Chief Science Officer - 11/18/2022

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab.

This is for informational testing and is not compliance testing. Lab results apply to the sample as received.



Jazzland Wholesale

Sample ID: G2K0156-01

Test ID: 5028259

Source ID:

Date Sampled: 11/09/22

Date Accepted: 11/09/22

Pesticide Analysis in ppm

Date/Time Extracted: 11/11/22 10:45

Analysis Method/SOP: 203

Analyte	Result	Action Level	LOD	LOQ	Units	Notes	Analyte	Result	Action Level	LOD	LOQ	Units	Notes
Abamectin	< LOQ	0.5		0.04	ppm		Acephate	< LOQ	0.4		0.04	ppm	
Acequinocyl	< LOQ	2		0.04	ppm		Acetamidrid	< LOQ	0.2		0.04	ppm	
Aldicarb	< LOQ	0.4		0.04	ppm		Azoxystrobin	< LOQ	0.2		0.04	ppm	
Bifenazate	< LOQ	0.2		0.04	ppm		Bifenthrin	< LOQ	0.2		0.04	ppm	
Boscalid	< LOQ	0.4		0.04	ppm		Carbaryl	< LOQ	0.2		0.04	ppm	
Carbofuran	< LOQ	0.2		0.04	ppm		Chlorantraniliprole	< LOQ	0.2		0.04	ppm	
Chlorfenapyr	< LOQ	1		0.04	ppm		Chlorpyrifos	< LOQ	0.2		0.04	ppm	
Clofentezine	< LOQ	0.2		0.04	ppm		Cyfluthrin	< LOQ	1		0.04	ppm	
Cypermethrin	< LOQ	1		0.04	ppm		Daminozide	< LOQ	1		0.04	ppm	
DDVP (Dichlorvos)	< LOQ	1		0.04	ppm		Diazinon	< LOQ	0.2		0.04	ppm	
Dimethoate	< LOQ	0.2		0.04	ppm		Ethoprophos	< LOQ	0.2		0.04	ppm	
Etofenprox	< LOQ	0.4		0.04	ppm		Etoxazole	< LOQ	0.2		0.04	ppm	
Fenoxycarb	< LOQ	0.2		0.04	ppm		Fenpyroximate	< LOQ	0.4		0.04	ppm	
Fipronil	< LOQ	0.4		0.04	ppm		Fonicamid	< LOQ	1		0.04	ppm	
Fludioxonil	< LOQ	0.4		0.04	ppm		Hexythiazox	< LOQ	1		0.04	ppm	
Imazalil	< LOQ	0.2		0.04	ppm		Imidacloprid	< LOQ	0.4		0.04	ppm	
Kresoxim-methyl	< LOQ	0.4		0.04	ppm		Malathion	< LOQ	0.2		0.04	ppm	
Metalaxyl	< LOQ	0.2		0.04	ppm		Methiocarb	< LOQ	0.2		0.04	ppm	
Methomyl	< LOQ	0.4		0.04	ppm		Methyl parathion	< LOQ	0.2		0.04	ppm	
MGK-264	< LOQ	0.2		0.04	ppm		Myclobutanil	< LOQ	0.2		0.04	ppm	
Naled	< LOQ	0.5		0.04	ppm		Oxamyl	< LOQ	1		0.04	ppm	
Paclobutrazol	< LOQ	0.4		0.04	ppm		Permethrins	< LOQ	0.2		0.04	ppm	
Phosmet	< LOQ	0.2		0.04	ppm		Piperonyl butoxide	< LOQ	2		0.2	ppm	
Prallethrin	< LOQ	0.2		0.04	ppm		Propiconazole	< LOQ	0.4		0.04	ppm	
Propoxur	< LOQ	0.2		0.04	ppm		Pyrethrins	< LOQ	1		0.1	ppm	
Pyridaben	< LOQ	0.2		0.04	ppm		Spinosad	< LOQ	0.2		0.04	ppm	
Spiromesifen	< LOQ	0.2		0.04	ppm		Spirotetramat	< LOQ	0.2		0.04	ppm	
Spiroxamine	< LOQ	0.4		0.04	ppm		Tebuconazole	< LOQ	0.4		0.04	ppm	
Thiacloprid	< LOQ	0.2		0.04	ppm		Thiamethoxam	< LOQ	0.2		0.04	ppm	
Trifloxystrobin	< LOQ	0.2		0.04	ppm								

ND - Compound not detected

Results above the Action Level fail state testing requirements and will be highlighted **Red**.



ISO 17025
ACCREDITED
LABORATORY

Eric Wendt
Chief Science Officer - 11/18/2022

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab.

This is for informational testing and is not compliance testing. Lab results apply to the sample as received.



Jazzland Wholesale

Sample ID: G2K0156-01

Test ID: 5028259

Source ID:

Date Sampled: 11/09/22

Date Accepted: 11/09/22

Residual Solvents

Date/Time Extracted: 11/11/22 10:31

Analysis Method/SOP: 205

Analyte	Result	Action Level	LOD	LOQ	Units	Notes
1,4-Dioxane	< LOQ	380		50.00	ppm	
2-Butanol	< LOQ	5000		1000	ppm	
2-Ethoxyethanol	< LOQ	160		80.00	ppm	
2-Propanol (IPA)	< LOQ	5000		1000	ppm	
Acetone	< LOQ	5000		1000	ppm	
Acetonitrile	< LOQ	410		50.00	ppm	
Benzene	< LOQ	2		1.000	ppm	
Butanes	< LOQ	5000		1000	ppm	
Cumene	< LOQ	70		35.00	ppm	
Cyclohexane	< LOQ	3880		50.00	ppm	
Dichloromethane	< LOQ	600		50.00	ppm	
Ethyl acetate	< LOQ	5000		1000	ppm	
Ethyl benzene	< LOQ	2170		35.00	ppm	
Ethyl ether	< LOQ	5000		1000	ppm	
Ethylene glycol	< LOQ	620		310.0	ppm	
Ethylene oxide	< LOQ	50		25.00	ppm	
Heptane	< LOQ	5000		1000	ppm	
Hexanes	< LOQ	290		50.00	ppm	
Isopropyl acetate	< LOQ	5000		1000	ppm	
Methanol	< LOQ	3000		1000	ppm	
Pentanes	< LOQ	5000		1000	ppm	
Propane	< LOQ	5000		1000	ppm	
Tetrahydrofuran	< LOQ	720		50.00	ppm	
Toluene	< LOQ	890		50.00	ppm	
Xylenes	< LOQ	2170		50.00	ppm	

<LOQ - Results below the Limit of Quantitation

Results above the Action Level fail state testing requirements and will be highlighted **Red**.



ISO 17025
ACCREDITED
LABORATORY

Eric Wendt
Chief Science Officer - 11/18/2022

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab.

This is for informational testing and is not compliance testing. Lab results apply to the sample as received.



Jazzland Wholesale

Sample ID: G2K0156-01

Test ID: 5028259

Source ID:

Date Sampled: 11/09/22

Date Accepted: 11/09/22

Metals Analysis by ICPMS

Date/Time Extracted: 11/16/22 13:32

Analysis Method/SOP: HM-001

Analyte	Result	LOD	LOQ	Units
Arsenic	0.222	0.0110	0.0500	ug/g
Cadmium	< LOQ	0.00100	0.0500	ug/g
Lead	0.668	0.00150	0.0500	ug/g
Mercury	< LOQ	0.00350	0.0100	ug/g

Metal analyses are not accredited to ORELAP TNI 2009 Quality Standards.
<LOQ - Results below the Limit of Quantitation - Compound not detected

Analysis Subcontracted to Green Leaf Labs - SCCA.



ISO 17025
ACCREDITED
LABORATORY

Eric Wendt
Chief Science Officer - 11/18/2022

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab.

This is for informational testing and is not compliance testing. Lab results apply to the sample as received.



Quality Control Potency

Batch: 2246051 - 215-Products

Blank(2246051-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0081	%		11/11/22 12:07	11/11/22 17:43	
delta 9-THC	< LOQ	0.0081	%		11/11/22 12:07	11/11/22 17:43	
delta 8-THC	< LOQ	0.3109	%		11/11/22 12:07	11/11/22 17:43	
THCV	< LOQ	0.2426	%		11/11/22 12:07	11/11/22 17:43	
THCVA	< LOQ	0.3631	%		11/11/22 12:07	11/11/22 17:43	
CBD	< LOQ	0.0081	%		11/11/22 12:07	11/11/22 17:43	
CBDA	< LOQ	0.0081	%		11/11/22 12:07	11/11/22 17:43	
CBDV	< LOQ	0.2496	%		11/11/22 12:07	11/11/22 17:43	
CBDVA	< LOQ	0.3429	%		11/11/22 12:07	11/11/22 17:43	
CBN	< LOQ	0.2242	%		11/11/22 12:07	11/11/22 17:43	
CBG	< LOQ	0.2608	%		11/11/22 12:07	11/11/22 17:43	
CBGA	< LOQ	0.3456	%		11/11/22 12:07	11/11/22 17:43	
CBC	< LOQ	0.3271	%		11/11/22 12:07	11/11/22 17:43	

Reference(2246051-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	101	0.0100	%	90-110	11/11/22 12:07	11/11/22 18:06	
delta 9-THC	105	0.0100	%	90-110	11/11/22 12:07	11/11/22 18:06	
delta 8-THC	105	0.3824	%	90-110	11/11/22 12:07	11/11/22 18:06	
CBD	104	0.0100	%	90-110	11/11/22 12:07	11/11/22 18:06	
CBDA	99.2	0.0100	%	90-110	11/11/22 12:07	11/11/22 18:06	

Pesticide Analysis

Batch: 2246047 - 203

Blank(2246047-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Abamectin	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
DDVP (Dichlorvos)	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Acephate	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Acequinocyl	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Acetamiprid	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Aldicarb	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Azoxystrobin	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Bifenazate	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Bifenthrin	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Boscalid	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:54	
Carbaryl	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Carbofuran	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Chlorantraniliprole	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	



Eric Wendt
Chief Science Officer - 11/18/2022



Quality Control Pesticide Analysis (Continued)

Batch: 2246047 - 203 (Continued)

Blank(2246047-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Chlorfenapyr	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:54	
Chlorpyrifos	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Clofentezine	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Cyfluthrin	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:54	
Cypermethrin	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:54	
Daminozide	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Diazinon	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Dimethoate	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Ethoprophos	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Etofenprox	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Etoxazole	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Fenoxycarb	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Fenpyroximate	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Fipronil	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:54	
Flonicamid	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Fludioxonil	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:54	
Hexythiazox	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Imazalil	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Imidacloprid	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Kresoxim-methyl	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:54	
Metalaxyl	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Malathion	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:54	
Methiocarb	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Methomyl	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Myclobutanil	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Methyl parathion	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:54	
Naled	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
MGK-264	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:54	
Oxamyl	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Paclobutrazol	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Phosmet	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Permethrins	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:54	
Piperonyl butoxide	< LOQ	0.2	ppm		11/11/22 10:45	11/11/22 17:00	
Prallethrin	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Propiconazole	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:54	
Propoxur	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Pyrethrins	< LOQ	0.1	ppm		11/11/22 10:45	11/11/22 17:00	
Pyridaben	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	



Eric Wendt
Chief Science Officer - 11/18/2022



Quality Control Pesticide Analysis (Continued)

Batch: 2246047 - 203 (Continued)

Blank(2246047-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Spinosad	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Spiromesifen	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Spirotetramat	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Spiroxamine	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Tebuconazole	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Thiacloprid	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Thiamethoxam	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	
Trifloxystrobin	< LOQ	0.04	ppm		11/11/22 10:45	11/11/22 17:00	

LCS(2246047-BS1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Abamectin	77.4	0.04	ppm	50-150	11/11/22 10:45	11/11/22 17:23	
DDVP (Dichlorvos)	96.0	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Acephate	118	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Acequinocyl	99.5	0.04	ppm	40-160	11/11/22 10:45	11/11/22 17:23	
Acetamiprid	108	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Aldicarb	102	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Azoxystrobin	113	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Bifenazate	116	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Bifenthrin	151	0.04	ppm	50-150	11/11/22 10:45	11/11/22 17:23	BSH
Boscalid	83.7	0.04	ppm	60-120	11/11/22 10:45	11/11/22 18:16	
Carbaryl	104	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Carbofuran	108	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Chlorantraniliprole	70.5	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Chlorfenapyr	95.6	0.04	ppm	60-120	11/11/22 10:45	11/11/22 18:16	
Chlorpyrifos	110	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Clofentezine	97.1	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Cyfluthrin	92.1	0.04	ppm	50-150	11/11/22 10:45	11/11/22 18:16	
Cypermethrin	98.8	0.04	ppm	50-150	11/11/22 10:45	11/11/22 18:16	
Daminozide	158	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	BSH
Diazinon	99.4	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Dimethoate	102	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Ethoprophos	102	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Etofenprox	124	0.04	ppm	50-150	11/11/22 10:45	11/11/22 17:23	
Etoxazole	102	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Fenoxycarb	107	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Fenpyroximate	105	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Fipronil	80.3	0.04	ppm	60-120	11/11/22 10:45	11/11/22 18:16	
Fonicamid	95.9	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	



Eric Wendt
Chief Science Officer - 11/18/2022

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab.

This is for informational testing and is not compliance testing. Lab results apply to the sample as received.



Quality Control Pesticide Analysis (Continued)

Batch: 2246047 - 203 (Continued)

LCS(2246047-BS1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Fludioxonil	72.3	0.04	ppm	50-150	11/11/22 10:45	11/11/22 18:16	
Hexythiazox	113	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Imazalil	95.2	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Imidacloprid	108	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Kresoxim-methyl	92.5	0.04	ppm	60-120	11/11/22 10:45	11/11/22 18:16	
Metalaxyl	98.8	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Malathion	86.7	0.04	ppm	60-120	11/11/22 10:45	11/11/22 18:16	
Methiocarb	97.2	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Methomyl	100	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Myclobutanil	102	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Methyl parathion	68.2	0.04	ppm	50-150	11/11/22 10:45	11/11/22 18:16	
Naled	117	0.04	ppm	50-150	11/11/22 10:45	11/11/22 17:23	
MGK-264	88.5	0.04	ppm	50-150	11/11/22 10:45	11/11/22 18:16	
Oxamyl	94.7	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Paclobutrazol	106	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Phosmet	101	0.04	ppm	50-150	11/11/22 10:45	11/11/22 17:23	
Permethrins	88.6	0.04	ppm	50-150	11/11/22 10:45	11/11/22 18:16	
Piperonyl butoxide	106	0.2	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Prallethrin	97.6	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Propiconazole	89.3	0.04	ppm	60-120	11/11/22 10:45	11/11/22 18:16	
Propoxur	109	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Pyrethrins	92.3	0.1	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Pyridaben	104	0.04	ppm	50-150	11/11/22 10:45	11/11/22 17:23	
Spinosad	106	0.04	ppm	50-150	11/11/22 10:45	11/11/22 17:23	
Spiromesifen	104	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Spirotetramat	104	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Spiroxamine	96.3	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Tebuconazole	104	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Thiacloprid	106	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Thiamethoxam	99.0	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	
Trifloxystrobin	110	0.04	ppm	60-120	11/11/22 10:45	11/11/22 17:23	

Solvent Analysis

Batch: 2246044 - 205

Blank(2246044-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	1000	ppm		11/11/22 10:31	11/12/22 08:15	
Acetonitrile	< LOQ	50.00	ppm		11/11/22 10:31	11/12/22 08:15	



Eric Wendt
Chief Science Officer - 11/18/2022



Quality Control Solvent Analysis (Continued)

Batch: 2246044 - 205 (Continued)

Blank(2246044-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Benzene	< LOQ	1.000	ppm		11/11/22 10:31	11/12/22 08:15	
Butanes	< LOQ	1000	ppm		11/11/22 10:31	11/12/22 08:15	
2-Butanol	< LOQ	1000	ppm		11/11/22 10:31	11/12/22 08:15	
Cumene	< LOQ	35.00	ppm		11/11/22 10:31	11/12/22 08:15	
Cyclohexane	< LOQ	50.00	ppm		11/11/22 10:31	11/12/22 08:15	
Dichloromethane	< LOQ	50.00	ppm		11/11/22 10:31	11/12/22 08:15	
1,4-Dioxane	< LOQ	50.00	ppm		11/11/22 10:31	11/12/22 08:15	
2-Ethoxyethanol	< LOQ	80.00	ppm		11/11/22 10:31	11/12/22 08:15	
Ethyl acetate	< LOQ	1000	ppm		11/11/22 10:31	11/12/22 08:15	
Ethyl benzene	< LOQ	35.00	ppm		11/11/22 10:31	11/12/22 08:15	
Ethylene glycol	< LOQ	310.0	ppm		11/11/22 10:31	11/12/22 08:15	
Ethylene oxide	< LOQ	25.00	ppm		11/11/22 10:31	11/12/22 08:15	
Ethyl ether	< LOQ	1000	ppm		11/11/22 10:31	11/12/22 08:15	
Heptane	< LOQ	1000	ppm		11/11/22 10:31	11/12/22 08:15	
Hexanes	< LOQ	50.00	ppm		11/11/22 10:31	11/12/22 08:15	
Isopropyl acetate	< LOQ	1000	ppm		11/11/22 10:31	11/12/22 08:15	
Methanol	< LOQ	1000	ppm		11/11/22 10:31	11/12/22 08:15	
Pentanes	< LOQ	1000	ppm		11/11/22 10:31	11/12/22 08:15	
Propane	< LOQ	1000	ppm		11/11/22 10:31	11/12/22 08:15	
2-Propanol (IPA)	< LOQ	1000	ppm		11/11/22 10:31	11/12/22 08:15	
Tetrahydrofuran	< LOQ	50.00	ppm		11/11/22 10:31	11/12/22 08:15	
Toluene	< LOQ	50.00	ppm		11/11/22 10:31	11/12/22 08:15	
Xylenes	< LOQ	50.00	ppm		11/11/22 10:31	11/12/22 08:15	

LCS(2246044-BS1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	89.5	1000	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Acetonitrile	99.2	50.00	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Benzene	78.5	1.000	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Butanes	108	1000	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
2-Butanol	92.2	1000	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Cumene	65.2	35.00	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Cyclohexane	79.2	50.00	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Dichloromethane	97.8	50.00	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
1,4-Dioxane	69.9	50.00	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
2-Ethoxyethanol	86.1	80.00	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Ethyl acetate	86.2	1000	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Ethyl benzene	69.1	35.00	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Ethylene glycol	92.2	310.0	ppm	60-120	11/11/22 10:31	11/11/22 16:31	BSL



Eric Wendt
Chief Science Officer - 11/18/2022



Quality Control Solvent Analysis (Continued)

Batch: 2246044 - 205 (Continued)

LCS(2246044-BS1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Ethylene oxide	100	25.00	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Ethyl ether	91.0	1000	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Heptane	102	1000	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Hexanes	71.5	50.00	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Isopropyl acetate	85.3	1000	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Methanol	110	1000	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Pentanes	98.5	1000	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Propane	110	1000	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
2-Propanol (IPA)	96.8	1000	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Tetrahydrofuran	101	50.00	ppm	60-120	11/11/22 10:31	11/11/22 16:31	
Toluene	72.1	50.00	ppm	60-120	11/11/22 10:31	11/11/22 16:31	



Eric Wendt
Chief Science Officer - 11/18/2022

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab.

This is for informational testing and is not compliance testing. Lab results apply to the sample as received.



Quality Control Metals Analysis

Batch: 2247046 - Metals

Blank(2247046-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Cadmium	< LOQ	0.0500	ug/g		11/16/22 13:32	11/18/22 15:01	
Lead	< LOQ	0.0500	ug/g		11/16/22 13:32	11/18/22 15:01	
Arsenic	< LOQ	0.0500	ug/g		11/16/22 13:32	11/18/22 15:01	
Mercury	< LOQ	0.0100	ug/g		11/16/22 13:32	11/18/22 15:01	

LCS(2247046-BS1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Cadmium	92.7	0.0500	ug/g	70-130	11/16/22 13:32	11/17/22 12:08	
Lead	95.6	0.0500	ug/g	70-130	11/16/22 13:32	11/17/22 12:08	
Arsenic	124	0.0500	ug/g	70-130	11/16/22 13:32	11/17/22 12:08	
Mercury	81.7	0.0100	ug/g	70-130	11/16/22 13:32	11/17/22 12:08	



Eric Wendt
Chief Science Officer - 11/18/2022

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab.

This is for informational testing and is not compliance testing. Lab results apply to the sample as received.



Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to ORELAP-SOP-001 and ORELAP-SOP-002 and following Sampling Plan FN117. Quality Control samples were tested as received. Laboratory results do not take into account the uncertainty of measurements. Available upon request.

- ATM Non-cannabis matrix related interference or suppression of Internal standard
- BLI Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery .
- BLK Analyte detected in method blank, but not associated samples.
- BSH Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
- BSL Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed manually for all samples.
- CBD Interference due to co-elution
- CV1 CBD matrix interference on GC Pest chromatography
- CV2 CCV was above acceptance criteria, Non-detect samples are considered acceptable.
- INF CCV was below acceptance criteria, sample still exceeds regulatory limit.
- ISH One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
- ISL Internal Standard concentration is above acceptance criteria.
- MSH Internal Standard concentration is below acceptance criteria.
- MSI Matrix Spike High - Matrix Spike recovery above method limits.
- MSL Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting recovery accuracy in Matrix Spike.
- TPP
- U Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed manually for all samples.
Internal Standard concentration outside control limit due to matrix interference



Eric Wendt
Chief Science Officer - 11/18/2022

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab.

This is for informational testing and is not compliance testing. Lab results apply to the sample as received.



Jazzland Wholesale

Sample ID: G2K0275-03

Matrix: Inhables

Test ID: 5028288

Source ID:

Date Sampled: 11/17/22

Date Accepted: 11/17/22

Results at a Glance

Mycotoxins : PASS



Eric Wendt
Chief Science Officer - 11/23/2022



Sample ID: G2K0275-03

Matrix: Hemp Extracts &

Test ID: 5028288

Source ID:

Date Sampled: 11/17/22

Date Accepted: 11/17/22

Mycotoxins by LCMSMS

Date/Time Extracted: 11/21/22 11:29

Analysis Method/SOP: Mycotoxins

Analyte	Result	LOD	LOQ	Units
aflatoxin B1	< LOQ	5.00	6.25	ug/kg
aflatoxin B2	< LOQ	5.00	6.25	ug/kg
aflatoxin G1	< LOQ	5.00	6.25	ug/kg
aflatoxin G2	< LOQ	5.00	6.25	ug/kg
ochratoxin A	< LOQ	5.00	6.25	ug/kg
Total Aflatoxins	< LOQ	5.00	6.25	ug/kg

Analysis Subcontracted to Green Leaf Lab.

<LOQ - Results below the Limit of Quantitation

Results above the Action Level fail state testing requirements and will be highlighted **Red**.



ISO 17025
ACCREDITED
LABORATORY

Eric Wendt
Chief Science Officer - 11/23/2022



Quality Control Mycotoxins

Batch: 2248004 - 202

Blank(2248004-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
aflatoxin B1	< LOQ	6.25	ug/kg		11/21/22 11:29	11/22/22 18:35	
aflatoxin B2	< LOQ	6.25	ug/kg		11/21/22 11:29	11/22/22 18:35	
aflatoxin G1	< LOQ	6.25	ug/kg		11/21/22 11:29	11/22/22 18:35	
aflatoxin G2	< LOQ	6.25	ug/kg		11/21/22 11:29	11/22/22 18:35	
ochratoxin A	< LOQ	6.25	ug/kg		11/21/22 11:29	11/22/22 18:35	

LCS(2248004-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
aflatoxin B1	102	6.25	ug/kg	60-120	11/21/22 11:29	11/22/22 18:46	
aflatoxin B2	98.6	6.25	ug/kg	60-120	11/21/22 11:29	11/22/22 18:46	
aflatoxin G1	103	6.25	ug/kg	60-120	11/21/22 11:29	11/22/22 18:46	
aflatoxin G2	91.7	6.25	ug/kg	60-120	11/21/22 11:29	11/22/22 18:46	
ochratoxin A	75.3	6.25	ug/kg	60-120	11/21/22 11:29	11/22/22 18:46	



Eric Wendt
Chief Science Officer - 11/23/2022

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab.

This is for informational testing and is not compliance testing. Lab results apply to the sample as received.



Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to ORELAP-SOP-001 and ORELAP-SOP-002 and following Sampling Plan FN117. Quality Control samples were tested as received. Results do not include uncertainty of measurements. Available upon request.

- ATM Non-cannabis matrix related interference or suppression of Internal standard
 - BLI Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery .
 - BLK Analyte detected in method blank, but not associated samples.
 - BSH Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
 - BSL Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed manually for all samples.
 - C Interference due to co-elution
 - CBD Interference due to co-elution
 - CV1 CBD matrix interference on GC Pest chromatography
 - CV2 CCV was above acceptance criteria, Non-detect samples are considered acceptable.
 - INF CCV was below acceptance criteria, sample still exceeds regulatory limit.
 - ISH One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
 - ISL Internal Standard concentration is above acceptance criteria.
 - MSH Internal Standard concentration is below acceptance criteria.
 - MSI Matrix Spike High - Matrix Spike recovery above method limits.
 - MSL Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting recovery accuracy in Matrix Spike.
 - TPP
 - U Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed manually for all samples.
- Internal Standard concentration outside control limit due to matrix interference



Eric Wendt
Chief Science Officer - 11/23/2022

These results relate only to the sample included on this report. The report may not be reproduced except in full, without the written permission of Green Leaf Lab.

This is for informational testing and is not compliance testing. Lab results apply to the sample as received.